

PRESS RELEASE FPS02

Fini direct-drive compressors: the compact solution to higher air demand

FPS Air Compressors is releasing the range of Fini direct-drive compressors into the UK. Comprising MiniCUBE and CUBE models, the former is the most compact solution in its market segment and comes as a single-phase solution if preferred in the 2.2kW model. Where higher air requirements are necessary, the CUBE is available in models up to 7.5 kW, providing a direct replacement for a piston compressor while producing 30-35% more output.

Small in size, but big in benefits, the MiniCUBE delivers compressed air for pneumatic devices that include air tools, spray paint guns, production machinery and packaging systems, to list but a few. The unique 1:1 direct drive means no belts, gears, pulleys or couplings, avoiding tension or misalignment issues. The upshot is reduced maintenance and noise emissions, alongside high levels of energy efficiency and safety.

Suitable for continuous use, the reliable MiniCUBE offers all the power of a screw compressor in either three-phase (400 V) or single-phase (240 V) variants, where the former features an IE3 energy efficiency class motor. Providing simple and reliable operation in a footprint of less than 1m3, the unit is exceptionally quiet, allowing its placement near any operating environment. Notably, this oil-lubricated coaxial compressor is available at low investment cost, despite the inclusion of features like a shock-resistant thermoformed protective cover, intake regulator and 'LOGIN Basic' multifunction controller.

The MiniCUBE's user-friendly LOGIN Basic controller measures and displays system status, operating temperature, operating pressure, total working hours, load hours and remaining hours until maintenance. It also facilitates alarm management with a dedicated display, and integrated digital phase sequence control.

Available in floor-mounted, powder coated tank and galvanised tank models, the MiniCUBE is a 2.2 kW compressor that delivers either 261 or 292 l/min air outflow rates.

For higher air demands, the larger capacity CUBE range comes in models up to 7.5 kW and just like the MiniCUBE, the oil-injected rotary screw CUBE compressor, is quiet, compact, energy-efficient and extremely reliable. Again offering the benefits of direct-drive transmission, it houses all the same features, alongside an ETMII controller with backlit multi-function display. Notable control features include four maintenance timers (air filter, oil, oil filter and separator filter), programmable cooling fan temperature and programmable remote control starting.

The heavy-duty CUBE compressor can run continuously under the most severe conditions of use. Furthermore, The 'ES' version includes a refrigerated dryer entirely enclosed within the main cabinet while maintaining the same shape and dimensions of the standard machine. The CUBE is available in floor-mounted, powder coated tank and galvanised tank models from 4 kW to 7.5 kW, and from 460 to 1,050 l/min air outflow rates.

Both the CUBE and MiniCUBE are plug-and-play systems. They come ready for use and already supplied with RotarECOFLUID mineral oil. Options include a heater that prevents the formation of condensate, maintaining adequate oil temperature during the compressor's standby phase.

These high-efficiency, low-noise (65 dB(A)) compressors come with a three-year warranty to provide reliable performance and peace-of-mind for users that include machine builders, small manufacturers, automotive workshops, theme parks, car washes, farm workshops, wood yards, education establishments and many more.

For further information please visit https://www.fps-compressors.co.uk/minicube-and-cube.html

Further information is available from:

FPS Air Compressors Ltd, Unit 5, Tower Estate, Warpsgrove Lane, Chalgrove Oxfordshire OX44 7XZ

Telephone: 01865 892 620 e-mail: sales@fps-compressors.co.uk

https://www.fps-compressors.co.uk/minicube-and-cube.html

General Information

Supplier: FPS Air Compressors Ltd

Downloads: The press release text (MS Word and PDF format) and images are

available for download at:

www.enterprise-marketing.co.uk/fps/fps02.html

Our Reference: FPS02/23/02/V2


Word Count: Approximately 620 words (including photographic annotations)



CUBE and MiniCUBE, the compact, reliable, low noise, direct drive transmission screw compressors available from FPS Air Compressors Ltd.

<u>Download high resolution 300dpi image</u> Download low resolution 72dpi image

Continued



The MiniCUBE is the most compact solution in its market segment - small in size but big in benefits.

<u>Download high resolution 300dpi image</u> <u>Download low resolution 72dpi image</u>



The oil-injected rotary screw CUBE compressor is quiet, compact, energy-efficient and extremely reliable, available in floor-mounted, powder coated tank and galvanised tank models from 4 kW to 7.5 kW.

<u>Download high resolution 300dpi image</u> Download low resolution 72dpi image